


Prayas JEE (2025)

Physics


DPP: 4

Oscillations


- Q1** A particle starts performing simple harmonic motion. Its amplitude is A . At one time its speed is half that of the maximum speed. At this moment the displacement is
- (A) $\frac{\sqrt{2}A}{3}$
 (B) $\frac{\sqrt{3}A}{2}$
 (C) $\frac{2A}{\sqrt{3}}$
 (D) $\frac{3A}{\sqrt{2}}$
- Q2** A simple pendulum performs simple harmonic motion about $x = 0$ with an amplitude a and time period T . The speed of the pendulum at $x = a/2$ will be
- (A) $\frac{\pi a}{T}$
 (B) $\frac{3\pi^2 a}{T}$
 (C) $\frac{\pi a \sqrt{3}}{T}$
 (D) $\frac{\pi a \sqrt{3}}{2T}$
- Q3** Which one of the following equations of motion represents simple harmonic motion? where k, k_0, k_1 and a are all positive.
- (A) Acceleration = $-kx + a$
 (B) Acceleration = $kx + a$
 (C) Acceleration = kx
 (D) Acceleration = $-k_0x + k_1x^2$
- Q4** If the displacement (x) and velocity v of a particle executing simple harmonic motion are related through the expression $4v^2 = 25 - x^2$ then its time period is:
- (A) π (B) 2π
 (C) 4π (D) 6π
- Q5** A particle is executing a simple harmonic motion. Its maximum acceleration is α and maximum velocity is β . Then, its time period of vibration will be
- (A) β^2/α^2
 (B) α/β
 (C) β^2/α
 (D) $2\pi\beta/\alpha$
- Q6** The potential energy of a particle executing SHM varies sinusoidally with frequency f . The frequency of oscillation of the particle will be
- (A) $\frac{f}{2}$
 (B) $\frac{f}{\sqrt{2}}$
 (C) $\frac{f}{2}$
 (D) f
- Q7** The potential energy of a simple harmonic oscillator when the particle is half way to its end point is where E is the total energy.
- (A) $\frac{2}{3}E$
 (B) $\frac{1}{8}E$
 (C) $\frac{1}{4}E$
 (D) $\frac{1}{2}E$
- Q8** A particle of mass m oscillates with simple harmonic motion between points x_1 and x_2 , the equilibrium position being O . Its potential energy is plotted. It will be as given below in the graph
- (A) 
 (B)




Android App | iOS App | PW Website



(C)



(D)



Q9 A body executes simple harmonic motion. The potential energy (P.E.), the kinetic energy (K.E.) and total energy (T.E.) are measured as a function of displacement x . Which of the following statements is true?

- (A) P.E. is maximum when $x = 0$
- (B) K.E. is maximum when $x = 0$
- (C) T.E. is zero when $x = 0$
- (D) K.E. is maximum when x is maximum

Q10 A particle of mass m is executing oscillations about the origin on the x -axis. Its potential energy is $U(x) = k[x]^3$, where k is a positive constant. If the amplitude of oscillation is a , then its time period T is

- (A) Proportional to $\frac{1}{\sqrt{a}}$
- (B) Independent of a
- (C) Proportional to \sqrt{a}
- (D) Proportional to $a^{3/2}$



[Android App](#) | [iOS App](#) | [PW Website](#)

Answer Key

Q1 (B)

Q2 (C)

Q3 (A)

Q4 (C)

Q5 (D)

Q6 (A)

Q7 (C)

Q8 (A)

Q9 (B)

Q10 (A)



[Android App](#)

| [iOS App](#)

| [PW Website](#)

