

PRAYAS

JEE 2025

ATDB.uno

Lecture - 01 Physics

Error & measurement

By- Saleem Ahmed Sir





Topics *to be covered*

- 1 Significant figure
 - 2 Round off , addition subtraction
 - 3 multiplication & division .
 - 4
- ATDB.uno



Errors

→ The difference between true value and measured value of a quantity.

Whenever an experiment is performed, two kinds of errors can appear in the measured quantity.

(1) Random and (2) Systematic Errors

ATDB.uno



$$\text{exact} = 11 - 3 = 8 \text{ cm.}$$

$$\text{Real} = 11 \text{ cm}$$



- (1) Random errors appear randomly because of operator, fluctuations in external conditions and variability of measuring instruments. The effect of random error can be somewhat reduced by taking the average of measured values. Random errors have no fixed sign or size.
- (2) Systematic errors occur due to error in the procedure, or miscalibration of the instrument etc. Such errors have same size and sign for all the measurements. Such errors can be determined

ATDB.uno





Significant Figure

- Larger the no. of significant figure obtained in a measurement larger will be its accuracy.

ATDB.uno

find no. of significant fig in following no.



- 5332 → 4
- 532 → 3
- 43425 → 5
- 4204 → 4
- 43007 → 5
- 23003 → 5

ATDB.uno

- 152.3 → 4
- 152.32 → 5
- 152.320 → 6
- 5.3 → 2
- 5.30 → 3
- 5.300 → 4
- 5.30040 → 6
- 0067 → 2
- 00675 → 3
- 0067 → 2



0.00325 → 3
0.003250 → 4

57 → 2
5700 → 2
65000 → 3
1370 → 3
565000 → 3

6500 → 2
6.5 → 2
.65 → 2
6.50 → 3
 65×10^2 → 2

6.5×10^3 → 2
 5.73×10^{10} → 3
 57.3×10^9 → 3
6500 → 2
 $.65 \times 10^4$ → 2


ATDB.uno



6500 → 2
6500. → 4
6500.0 → 5
006500.0 → 5
0065000 → 2

13700. → 5
13700 → 2

ATDB.uno



ATDB.uno



Rules

- * All the non zero digits are significant .
- * All the zeros between two non-zero digits are significant .
- * All the leading zeros (zero before 1st non-zero digit) are insignificant .
- * The trailing zeros (zero to the right of last non-zero digit) in a number with decimal points are significant .

Ex 2573 $\longrightarrow$ ③

200703 $\longrightarrow$ ⑥

Ex .0023 $\longrightarrow$ ②

00235 $\longrightarrow$ ③

ATDB.uno

1.020 $\longrightarrow$ 4

1.02000 $\longrightarrow$ 6



- The trailing zeros in a number without a decimal point are not significant.

$35000 \longrightarrow 2$
 $14200 \longrightarrow 3$

- ⊗ Changing the units does not change the no. of significant digits.

$$\begin{array}{l}
 5.03 \text{ m} \longrightarrow 3 \\
 503 \text{ cm} \longrightarrow 3
 \end{array}$$

- No. of sig. digit doesnot depends on system of units and it also doesnot change with scientific notation

$$\begin{array}{l}
 32 \times 10^5 \longrightarrow 2 \\
 320 \times 10^4 \longrightarrow 2 \\
 3.2 \times 10^6 \longrightarrow 2
 \end{array}$$



Q No. of Significant figure for the numbers 23.023 ,
0.0003 , and 2.1×10^{-3} are

AIEEE 2010

☒ (A) 5, 1, 2

☐ (B) 5, 1, 5

☒ (C) 5, 5, 2

☒ (D) 4, 4, 2

ATDB.uno



How do I know ho many Sig Figs?

Zeros

Leading zeros – never count

Zeros at the beginning of a number are not significant; they act only to locate the decimal point. **ATDB.uno**

Thus,

0.0834 cm ahs **three** significant figures,

0.02927 mL has **four** significant figures, and

0.0025 has **two** significant figures.





How many Sig Figs?

45.8736	6	All digits count
.000239	3	Leading 0's don't'
.00023900	5	Trailing 0's do
48000	5	0's count in decimal form
48000	2	0's don't count w/o decimal
3.982×10^6	4	All digits count
1.00040	6	0's between digits count as well as trailing in decimal form





How many Sig Figs?

• 7	1
• 40	1
• 0.5	1
• 0.00003	1
• 7×10^5	1
• 7000000	1

ATDB.uno





How many Sig Figs here?

• 1.2	2
• <u>2100</u>	2
• <u>56.76</u>	4
• <u>4.00</u>	3
• <u>0.0792</u>	3
• <u>7083000000</u>	4

ATDB.uno





Rounding off

ATDB.uno



Rules for rounding off digits :



There are a set of conventional rules for rounding off :

1. Determine according to the rule what the last reported digit should be.
2. Consider the digit to the right of the last reported digit.
3. If the digit to the right of the last reported digit is less than 5 round it and all digits to its right off.
4. If the digit to the right of the last reported digit is greater than 5 round it and all digits to its right off and increased the last reported digit by one.

ATDB.uno





5. If the digit to the right of the last reported digit is a 5 followed by either no other digits or all zeros, round it and all digits to its right off and if the last reported digit is odd round up to the next even digit. If the last reported digit is even then leave it as is.

ATDB.uno

For example if we wish to round off the following number to 3 significant digits: 18.3682

The last reported digits would be the 3. The digit to its right is a 6 which is greater than 5. According to the Rule-4 above, the digit 3 is increased by one and the answer is: 18.4



Round off following number into 3 Sig. figure



1.8762 → 1.88

1.8769 → 1.88

1.8758 → 1.88

1.8752 → 1.88

1.8751 → 1.88

1.8732 → 1.87

1.8749 → 1.87

1.8750 → 1.88¹
odd

1.8850 → 1.88
even

1.878 → 1.88

1.876 → 1.88

1.87621 → 1.88

1.875001 → 1.88

1.875 → 1.88



Round off following number into 3 Sig. figure

$1.8762 \xrightarrow{+1} 1.88$

$1.8769 \rightarrow 1.88$

$1.8758 \rightarrow 1.88$

$1.8752 \rightarrow 1.88$

$1.8751 \rightarrow 1.88$

$1.8732 \rightarrow 1.87$

$1.8749 \rightarrow 1.87$

$1.8750 \xrightarrow{\text{odd}} 1.88$

$1.8850 \xrightarrow{\text{even}} 1.88$

$1.876 \rightarrow 1.88$

$1.87621 \rightarrow 1.88$

$1.875001 \rightarrow 1.88$

3 Sig digit



2.3572 → 2.36

2.3758 → 2.38

5.7342 → 5.73

8.00245 → 8.00

ATDB.uno



3 Sig digit

2.3572 → 2.36

2.3758 → 2.38

5.7342 → 5.73

8.00245 → 8.00

ATDB.uno



Another Example :

Round off 4.565 to three significant digits.


The last reported digit would be the 6. The digit to the right is a 5 followed by nothing. Therefore according to Rule-5 above since the 6 is even it remains so and the answer would be 4.56.

4.56

4.565 → 4.56

4.575 → 4.58





Practice

Make the following into a 3 Sig Fig. number :

- ①

•

1.5587 → 1.56
- ②

•

0.0037421 → 0.00374
- ③

•

1.6683 × 10⁶ → 1.67 × 10⁶
- ④

•

1367 → 137~~X~~
→ 1370
- ⑤

•

128522 → 129000
- ⑥

•

5867523 → 5870000

ATDB.uno



Practice

$$1367 = 1.367 \times 10^3 \longrightarrow 1.37 \times 10^3 = 1370$$

Make the following into a 3 Sig Fig. number :

① • 1.5587 $\longrightarrow$ 1.56

② • 0.0037421 $\longrightarrow$ 0.00374

③ • 1.6683 $\times 10^6$ $\longrightarrow$ 1.67 $\times 10^6$

④ • 1367 $\longrightarrow$ 137 ~~X~~
 $\longrightarrow$ 1370

⑤ 128522 $\longrightarrow$ 129000

⑥ 5867523 $\longrightarrow$ 587 ~~X~~
 $\longrightarrow$ 5870000

Downloaded from ATDB.uno/StudyPrayas | Unauthorised redistribution is strictly prohibited.

ATDB.uno | 25 Mar 2026, 10:50 IST

ATDB.uno



Rules for

$+$ $-$ $\times$ $\div$

ATDB.uno

Rules for addition & subtraction
(in correct no. of sig fig)

3.478

+ 4.2

7.678

→ 3 digit after decimal

→ 1 " " " "

ATDB.uno

Ans 7.7

Ans will have 1 digit
after decimal

Rules for multiplication &
division (In correct no. of sig.
fig)

6.321

x 5.87

= 37.10427

4 sig fig

3 sig fig

final answer will have 3 sig fig

37.10427

→ 37.1



$$R_1 = 7.\underline{3428}$$
$$R_2 = 2.\underline{347}$$
$$R_3 = + 2.\underline{03}$$

$$11.7198 \rightarrow (\text{calc})$$

4 digit after decimal

3 " " "

2 " " "

→ सप्त form में Ans

Ans → 11.72

ATDB.uno

$R_1 R_2 R_3 \rightarrow$ series

$R_{eq} = ?$

Rules for addition & subtraction
(in correct no. of sig fig)

3.478

+

4.2

7.678

calc

3

1

But Ans $\rightarrow$ 7.7

ATDB.uno

after
decimal
1 digit
from



Rules for multiplication & division
(In correct no. of sig. fig)

6.321

x

5.87

=

37.10427

4 sig. fig

3 sig fig

(calc)

Round off into 3 sig dig

37.1

Q2

$$\begin{array}{r} 2.73 \\ \times 5.2 \\ \hline 14.196 \end{array}$$

(calc)

2.73 → 3 sig fig
5.2 → 2 sig fig

Round off
2 sig dig. → 14

Q

$$\begin{array}{r} l = 3.734 \\ b = 4.32 \\ \hline \text{Area} = ? \end{array}$$
$$\begin{array}{r} 3.734 \\ \times 4.32 \\ \hline 16.13088 \end{array}$$

3.734 → ④
4.32 → ③

→ calc

→ Ans = 16.1

ATDB.uno



Q If $R_1 = 5.272$
 $R_2 = 3.41$

find R_{eq} if they are connected in series

(A) 8.682 X

(B) 8.68 ✓

(C) 8.7 X

(D) 9 X

$$R_{eq} = R_1 + R_2$$

$$= 8.682$$

Calc

ATDB.uno

Avg

8.68



Q

$$\begin{array}{r} 2.4732 \\ 1.834 \\ + 2.03 \\ \hline 6.3372 \\ \hline \end{array}$$

Ans 6.34 Ans

Q

$$\begin{array}{r} 5.9987 \\ - 2.07 \\ \hline 3.9287 \\ \hline \end{array}$$

Ans 3.93

$$T_f = 5.9987^\circ\text{C}$$

$$T_i = 2.07^\circ\text{C}$$

$$\Delta T = T_f - T_i$$

ATDB.uno



Q

$$\begin{array}{r} 2.4732 \\ 1.834 \\ + 2.03 \\ \hline 6.3372 \end{array}$$

Ans

6.34

Q

$$\begin{array}{r} 5.9987 \\ - 2.07 \\ \hline 3.9287 \end{array}$$

Ans

3.93

ATDB.uno



The product or quotient will be reported as having as many significant digits as the number involved in the operation with the least number of significant digits.

For example : $0.000170 \times 100.40 = 0.017068$

The product could be expressed with no more than three significant digits since 0.000170 has only three significant digits, and 100.40 has five. So according to the rule the product answer could only be expressed with three significant digits. Thus the answer should be 0.0171 (after rounding off)

ATDB.uno





Rule for expressing the correct number of significant digits in an addition or subtraction :

The rule for expressing a sum or difference is considerably different than the one for multiplication or division. The sum or difference can be no more precise than the least precise number involved in the mathematical operation. Precision has to do with the number of positions to the RIGHT of the decimal. The more position to the right of the decimal, the more precise the number. So a sum or difference can have no more indicated positions to the right of the decimal as the number involved in the operation with the LEAST indicated positions to the right of its decimal.

For example : $160.45 + 6.732 = 167.18$ (after rounding off)





Some more Examples

- $2.45\text{ cm} + 1.2\text{ cm} = 3.65\text{ cm}$, Round off = 3.6 cm

One decimal place

$2.35 + 1.2 \rightarrow 3.55 \xrightarrow{\text{AW}} 3.6$

even
- $7.432\text{ cm} + 2\text{ cm} = 9.432\text{ cm}$, Round off = 9 cm

no decimal place

ATDB.uno


- $0.56 + 0.153 = 0.713$ Round off = 0.71
Two decimal place
- $82000 + 5.32 = 82005.32$ Round off = 82005
No decimal place
- $10.0 - 9.8742 = 0.12580$ Round off = 0.1
One decimal place
- $10 - 9.8742 = 0.12580$ Round off = 0
No decimal place





Practice

Calculation	Calculator says	Answer
$3.24\text{ m} + 7.0\text{ m}$	10.24 m	10.2 m
$100.0\text{ g} - 23.73\text{ g}$	76.27 g	76.3 g
$0.02\text{ cm} + 2.371\text{ m}$	2.391 cm	2.39 cm
$713.3\text{ L} - 3.872\text{ L}$	709.228 L	709.2 L
$1818.2\text{ lb} + 3.37\text{ lb}$	1821.57 lb	1821.6lb.ft
$1.030\text{ g} \times 2.87\text{ mL}$	2.9561 g/mL	2.96 g/mL





Multiplication and Division

- Rule – 2 :** In carrying out a multiplication or division, the answer cannot have more significant figures than either of the original numbers.

Calc = $23.760684 \equiv 23.8$

Three significant figures **ATDB.uno** Three significant figures

$\frac{278\text{mi}}{11.70\text{gal}} = 23.8\text{ mi/gal}$

Four significant figures





Multiplication and division

4

3

calc

- 56.78 cm × 2.45 cm = 139.111 cm²
Three SF
- 75.8 cm × 9.6 cm = 727.68 cm²
Two SF
- 32.27 × 1.54 = 49.6958
Three SF
- 3.68 ÷ 0.07925 = 46.4353312
- 1.750 × 0.0342000 = 0.05985
Four SF
- 3.2650 × 10⁶ × 4.858 = 1.586137 × 10⁷
- ~~6.022 × 10²³ × 1.661 × 10⁻²⁴ = 1.000000~~

4

4

Round off = 139 cm²

Round off = 730 cm²

Round off = 49.7

Round off = 46.4

Round off = 0.05985
Four SF

Round off = 1.586 × 10⁷

Round off = 1.000



Practice

Calculation	Calculator says	Answer
$3.24\text{ m} \times 7.0\text{ m}$	22.68 m^2	23 m^2
$100.0\text{ g} \div 23.7\text{ cm}^3$	$4.219409283\text{ g/cm}^3$	4.22 g/cm^3
$0.02\text{ cm} \times 2.371\text{ cm}$	0.04742 cm^2	0.05 cm^2
$710\text{ m} \div 3.0\text{ s}$	<u>236.6666667 m/s</u>	240 m/s
$1818.2\text{ lb} \times 3.23\text{ ft}$	5872.786 lb.ft	5870 lb.ft
$1.030\text{ g} \times 2.87\text{ mL}$	2.9561 g/mL	2.96 g/mL





A ohm's law exp., reading of voltmeter across the resistor is 12.5 V and reading of current $I = 0.20$ Amp. Estimate the resistance in correct S.F.

$V = 12.5$

$I = 0.20$

$V = IR$

$R = \frac{V}{I} = \frac{12.5}{0.20} = 62.5$

3

2

Ans : 62Ω

A

62.5Ω

B

63Ω

C

62Ω

D

61Ω

ATDB.uno

Round off

62

Downloaded from ATDB.uno/StudyPrayas | Unauthorised redistribution is strictly prohibited.

ATDB.uno

25 Mar 2026, 10:50 IST

ATDB.uno



***THANK
YOU***

ATDB.uno

